



DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DV-7401CL0267
Registration Number
Registriernummer

Field of Application <i>Anwendungsbereich</i>	products of gas and water supply <i>Produkte der Gas- und Wasserversorgung</i>
Owner of Certificate <i>Zertifikatinhaber</i>	Taizhou Double Winners Copper Co., Ltd. Room 902, No. 185-1 Wenxue Road, Jiazhi Street Jiaojiang, CN-318000 Taizhou, Zhejiang
Distributor <i>Vertreiber</i>	Taizhou Double Winners Copper Co., Ltd. Room 902, No. 185-1 Wenxue Road, Jiazhi Street Jiaojiang, CN-318000 Taizhou, Zhejiang
Product Category <i>Produktart</i>	Capillary soldering and reduction fittings : Threaded, capillary-solder and transition fittings made from copper alloys (DVGW GW 6) (7401)
Product description <i>Produktbezeichnung</i>	capillary soldering fitting and thread fitting (3/8" up to 2") made of red brass for drinking water installation
Model <i>Modell</i>	Typ 4...
Test reports <i>Prüfberichte</i>	Laboratory control test: 1220-701000-24 from 24.07.2024 (MPM) Mechanical test: 120003454-14 from 03.07.2014 (MPM) Type testing: 120003454 from 16.07.2010 (MPM)
Test basis <i>Prüfgrundlagen</i>	DVGW GW 6-(P) (01.03.2014)

Date of Expiry / File No. 16.07.2030 / 25-0121-WNV
Ablaufdatum / Aktenzeichen

24.04.2025 Le A-1/2
Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle



DVGW CERT GmbH
Josef-Wirmer-Str. 1-3
53123 Bonn
Tel. +49 228 9188-888
info@dvwg-cert.com
www.dvlgw-cert.com

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
Typ 4...	Nominal diameter: 12 mm	
Typ 4...	Nominal diameter: 15 mm	
Typ 4...	Nominal diameter: 18 mm	
Typ 4...	Nominal diameter: 22 mm	
Typ 4...	Nominal diameter: 28 mm	
Typ 4...	Nominal diameter: 35 mm	
Typ 4...	Nominal diameter: 42 mm	
Typ 4...	Nominal diameter: 54 mm	

Hints of Utilization / Remarks***Verwendungshinweise / Bemerkungen***

Suitability for drinking water hygiene is verified with a "Hygiene confirmation of conformity" in accordance with the currently valid legal basis.


DVGW
—
CERT



DVGW-Baumusterprüfzertifikat

DVGW type examination certificate

DV-7401CL0267

Registriernummer
registration number

Anwendungsbereich <i>field of application</i>	Produkte der Gas- und Wasserversorgung <i>products of gas and water supply</i>
Zertifikatinhaber <i>owner of certificate</i>	Taizhou Double Winners Copper Co., Ltd. Room 902, No. 185-1 Wenxue Road, Jiazhi Street Jiaojiang, CN-318000 Taizhou, Zhejiang
Vertreiber <i>distributor</i>	Taizhou Double Winners Copper Co., Ltd. Room 902, No. 185-1 Wenxue Road, Jiazhi Street Jiaojiang, CN-318000 Taizhou, Zhejiang
Produktart <i>product category</i>	Kapillarlöt- und Übergangsfitting: Gewinde-, Kapillarlöt- und Übergangsfittings aus Kupferlegierungen nach DVGW GW 6 (7401)
Produktbezeichnung <i>product description</i>	Löt- und Gewindefittings und Verschraubungen aus Rotguss (3/8" bis 2") für die Trinkwasserinstallation
Modell <i>model</i>	Typ 4...
Prüfberichte <i>test reports</i>	Kontrollprüfung Labor: 1220-701000-24 vom 24.07.2024 (MPM) Mechanikprüfung: 120003454-14 vom 03.07.2014 (MPM) Baumusterprüfung: 120003454 vom 16.07.2010 (MPM)
Prüfgrundlagen <i>test basis</i>	DVGW GW 6-(P) (01.03.2014)
Ablaufdatum / AZ <i>date of expiry / file no.</i>	16.07.2030 / 25-0121-WNV

70028-04-A-DE

24.04.2025 Le A-1/2

Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle
date, issued by, sheet, head of certification body

24.04.2025



Deutsche
Akkreditierungsstelle
D-ZE-16028-01-00

DVGW CERT GmbH
Josef-Wirmer-Str. 1-3
53123 Bonn
Tel. +49 228 9188-888
info@dvwg-cert.com
www.dvlgw-cert.com

Typ <i>type</i>	Technische Daten <i>technical data</i>	Bemerkungen <i>remarks</i>
Typ 4...	Nenndurchmesser: 12 mm	
Typ 4...	Nenndurchmesser: 15 mm	
Typ 4...	Nenndurchmesser: 18 mm	
Typ 4...	Nenndurchmesser: 22 mm	
Typ 4...	Nenndurchmesser: 28 mm	
Typ 4...	Nenndurchmesser: 35 mm	
Typ 4...	Nenndurchmesser: 42 mm	
Typ 4...	Nenndurchmesser: 54 mm	

Verwendungshinweise / Bemerkungen***hints of utilization / remarks***

Die trinkwasserhygienische Eignung ist mit „Konformitätsbestätigung Hygiene“ gem. der aktuell gültigen Rechtsgrundlage nachgewiesen.

The logo consists of a stylized flame or leaf symbol above the text 'DVGW' in a large, bold, sans-serif font. Below 'DVGW' is a horizontal line, and underneath that is the word 'CERT' in a similar bold, sans-serif font.